



Table of Contents

About Us -----	Pg. 01
Ordering Information -----	Pg. 02
Services -----	Pg. 03
Policies -----	Pg. 04
Chemical Hazard Ratings -----	Pg. 06
Label Inofrmation -----	Pg. 07
Chemical Index -----	Pg. 08
Quality -----	Pg. 09
Sustainability-----	Pg. 10
Chemicals -----	Pg. 11
Packaging information-----	Pg. 11
Solvents -----	Pg. 13
Acids -----	Pg. 21
Powders -----	Pg. 24

ALL RIGHTS ARE RESERVED @ REXALL LABORATORIES AND CHEMICALS.

www.rexalllabs.com

About us

Rexall Laboratories and Chemicals is a proudly Canadian owned corporation with over two decades of experience in chemicals manufacturing and private labeling.

The products manufactured and packaged by Rexall Labs are centered around a variety of chemical products and related services. The company also highly focuses on client needs, the understanding that individual customer requirements may be unique, and providing enough flexibility to accommodate the unique client requirements.

Serving a vast range of different industries, Rexall Labs works within the oil and gas industries, universities and research laboratories. Rexall Labs is dedicated to innovative methods to help them stay sustainable in production, packaging and returnable drums.



ORDERING INFORMATION

Order from **ESBE Scientific** is fast and easy !



For orders, contact your local sales representative
Monday through Friday



Call : 800 268 3477 / 800 542 4818



Email: info@esbe.com



Shop online: www.esbe.com



ESBE Scientific



Our Services

REXALL is a company committed to excellence service. Whether it is client service, through to contingency services, this business strives to achieve the highest standards throughout.

Offering custom chemicals, REXALL have the rare ability to be able to produce completely customised chemicals to meet exacting requirements. Whether it is product development, testing or production, all these services are offered from the same company.

REXALL chemicals offers a drum pick-up service. This allows cost saving and reduces the amount of wastage.

Boasting a spacious warehouse, REXALL has the space to be able to ensure supply chain continuity, by maintaining the appropriate stock and having exceptional inventory management and information systems in place. A global enterprise, easily and readily able to source high quality raw materials, in order to be able to provide their clients demands for superior quality, at competitive prices.



POLICIES



TERMS AND CONDITIONS

- Pricing is current at the same time of printing
- Prices are subject to change without notice and any changes will be reflected at the time of shipping.
- All prices are FOB shipping point unless indicated otherwise
- Sales tax will be assessed where applicable
- There is no minimum order with REXALL Chemicals, through distributors
- Full case quantities or minimum quantities may apply

QUOTATIONS

- Our sales and customer representatives welcome the opportunity to quote for single line items to new laboratory set-ups and multiple line orders to be delivered on scheduled time frames are also welcome
- Establishing standing orders to be delivered on scheduled time frames are also welcome
- Prices are quoted in CAD dollars except where indicated

PAYMENT TERMS AND CHARGES

- Payment terms are net 30 days based on approved credit F.O.B. distribution point.
- Shipping charges are prepaid and added to the invoice
- Hazardous charges, dry ice shipments and special handling will be added to the invoice
- Master Card, Visa, American Express are accepted
- C.O.D. orders will be charged a handling fee plus shipping charges

FREIGHT AND DELIVERY

- Shipments can be arranged as per customer instructions.
- The most economical shipping method will be used on F.O.B. basis.
- All shipments are subject to and will follow Federal DOT Regulations.
- Orders are shipped within 48 hours of receipt, depending upon availability

QUALITY

- All products are guaranteed to meet specification. Certificates of Analysis are available upon reuest.

WARRANTY

- REXALL Chemicals's liability shall be limited to refund or exchange, not to exceed the purchase price of the material.
- REXALL Chemicals is not liable for special incidental or consequential dam ages of any kind, loss, expense, or accidental damage. This includes dam age to property, person, or premises from these products.
- **REXALL Chemicals MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE WARRANTIES OF MERCHANT ABILITY OR FITNESS FOR ANY PURCHASE.**

WARRANTY

- Contact REXALL Chemicals or ULTIDENT customer service with any issue.
- All returns must include an RGA number, include original packaging & shipped prepaid.
- All packages should be thoroughly inspected upon receipt. » Any shortages or damages should be indicated on the packing list.
- A 25% restocking fee applies for items ordered in error. » Items older than 30 days, sterile or special order items are subject to review.
- Discontinued products, custom or personalized items will not be accepted for return.
- Refrigerated or climate controlled, outdated, shelf worn, opened products will not be accepted.
- Chemicals expressing any risk must be shipped back in UN/DOT specified containers or will not be accepted. Opened or tampered chemicals will assess a hazardous waste removal and disposal fee.
- Customer assumes all risk of handling chemicals during transit.
- Broken thermometers or any material containing free mercury cannot be returned to Us.

Contact info@rexalllabs.com for RGA request.


CHEMICAL HAZARD RATINGS

NFPA Rating: Developed by the National Fire Protection Association, the HFPA Rating alerts firefighters to hazards posed by various materials in a fire situation.

NFPA Rating	HEALTH HAZARDS Type of Possible Injury Color Code: BLUE	FLAMMABILITY Susceptibility of Materials Burning Color Code: RED	FLAMMABILITY Susceptibility of Release Energy Color Code: Yellow
4	Very short exposure could cause death or serious residual injury even though prompt medical attention is given	Will rapidly or completely vaporize at normal pressure & temp., or is readily dispersed in air & will burn readily.	Readily capable of detonation or of explosive decomposition or reaction at normal temp.& pressures
3	Short exposure may cause serious temporary or residual injury even though prompt medical attention is given	Liquids and solids that can be ignited under almost all ambient conditions.	Capable of detonation or explosive reaction, but requires a strong initiating source or must be heated under confinement before initiation, or reacts explosively with water
2	Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	Must be moderately heated or exposed to relatively high temperature before ignition can occur.	Normally unstable and readily undergoes violent decomposition but does not detonate. Also may react violently with water or may form potentially explosive mixtures with water.
1	Exposure could cause irritation but only minor residual injury even if no treatment is given.	Must be pre-heated before ignition can occur.	Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
0	Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.	Will not burn	Normally stable, even under fire exposure conditions, and is not reactive with water.

HMIS I© Rating: Developed by the National Paint and Coatings Assoc.,the Hazardous Materials Identification System rating presents occupational health and safety information in a easy-to-use format.


HMIS I© Rating	HEALTH HAZARDS Type of Possible Injury Color Code: BLUE	FLAMMABILITY Susceptibility of Materials Burning Color Code: RED	FLAMMABILITY Susceptibility of Release Energy Color Code: Yellow
4	Severe Hazard: Life-threatening, major or permanent damage may result from single or repeated exposures.	Same as NFPA Rating above	Same as NFPA Rating above
3	Major injury likely unless prompt action is taken and medical treatment is given	Same as NFPA Rating above	Same as NFPA Rating above
2	Temporary or minor injury may occur.	Same as NFPA Rating above	Same as NFPA Rating above
1	Irritation or minor reversible injury possible.	Same as NFPA Rating above	Same as NFPA Rating above
0	No significant risk to health	Same as NFPA Rating above	Same as NFPA Rating above



LABEL INFORMATION

This section is intended to help customers identify the different items on the REXALL Chemical product label. Each REXALL Chemical label contains an up-to-date summary of significant health and safety data you need to know when handling a particular chemical.

NOTE: Label may differ based on size or container, but all the proper information will still be present.



LEGEND

Always remember to read all safety material before handling any chemical.

- 1. Product Name
- 2. Product Part Number
- 3. Size/ Quantity
- 4. Lot Number
- 5. GHS Hazard Symbol
- 6. CAS Number
- 7. Certificate of Analysis
- 8. Precautionary Information
- 9. NFPA Safety Diamond
- 10. Product Management
- 11. Chempure Logo

GHS HAZARD SYMBOLS

The GHS is an acronym for The Globally Harmonized System of classification and labelling of chemicals.

The GHS is a system for standardizing and harmonizing the classificatin and labelling of chemicals. It is logical and comprehensive approach to:

- Defining health, physical and environmental hazards of chemicals;
- Creating classification processes that use available data on chemicals for comparison with the defined hazard criteria; and
- Communicating hazard information, as well as protective measures, on labels and Safety Data Sheets (SDS)

More detailed information about GHS can be found at OSHA. GOV.

CHEMICAL INDEX

ACETONE	13
ETHYL ACETATE	13
2-PROPANOL	14
METHANOL	14
TOLUENE	15
XYLENE	15
HEXANES	16
SODIUM HYDROXIDE 50%	16
HEPTANE	17
ODORLESS KEROSENE	17
ISO-PROPYL ALCOHOL 70%	18
2-PROPANOL 50%	19
ETHANOL DENATURES ANHYDROUS	19
SODIUM HYDROXIDE 50% REAGENT	19
ACETONITRILE ACS	20
AMMONIUM HYDROXIDE 28% ACS	20
N,N DIMEHYFLORMAMIDE	20
PHOSPHORIC ACID ACS	21
SULFURIC ACID AQUEOUS SOLUTION	21
NITRIC ACID 2N IN AQUEOUS SOLUTION	21
PERCHLORIC ACID ACS	22
ACETIC ACID GLACIAL ACS	22
HYROBROMIC ACID 48% ACS	22
HYDROCHLORIC ACID 36% ACS	23
SULFURIC ACID 93-98%	23
SODIUM PEROXIDE ACS	24
SODIUM HYDROOXIDE ACS	24
LEAD ACETATE TRIHYDRATE	25
SILVER NITRATE	25
IODIC ACID REAGENT ACS	26
SODIUM HEXAMETAPHSPHT	26
POTASSIUM PHOSPHATE DIBASIC ACS	27
POTASSIUM PHOSPHATE MONOBASIC ACS	27
SODIUM PHOSPHATE DIBASIC ANHYDROUS ACS	28
MAGNESIUM SULFATE HEPTAHYDRATE ACS	28
EDTA DISODIUM SALT DIHYDRATE ACS	29
UREA ACS	29
CALCIUM CHLORIDE DIHYDRATE ACS	30
BROMINE	30



REXALL Chemicals are prepared with up-to-date and efficient explosion proof packaging facility.

QUALITY

REXALL Chemicals is a leading chemical products supplier. REXALL’s standards insist that all of their products exceed the specification needed in order to ensure the highest quality, backed-up with a maintained consistency throughout. Their clients return time and time again due to their high-standards and high-quality research and development labs.

A vast amount of work is meticulously carried out by the Quality Control department who ensure that the company maintain the very highest of standards. It is this focus on quality, which has given REXALL the successes with which the company has been built upon.

HAVE YOU GOT ANY
QA CERTIFICATIONS OR STANDARDS



SUSTAINABILITY



REXALL Chemicals is committed to always looking at innovative ways to be as sustainable as possible, after all, the worlds’ global futures depends on this. It is a key part of the REXALL business strategy. The company is constantly focussed on this and it strives to help build a better future for the customers, their employees and their community.

Operationally speaking, processes and resources have been selected with sustainability at the forefront, including using recyclable packaging and boxes, a program for client returnable drums and also ensuring the equipment is always running at the optimum level for maximum efficiency.

DO YOU HAVE **SPECIFIC SUSTAINABILITY POLCIES**
WITHINYOUR BUSINESS YOU WOULD LIKE TO LIST?



CHEMICALS

1. PACKAGING INFORMATION

COMPATIBLE CHEMICALS	
Acetone	Kerosene
Auto Additives	Lubricants
Charcoal Lighter	Plant growth products
Cleaners	Surfactants
Degreasers	Solvents
d-Limonene	Terpenes
Electronics Chemicals	Trichloroethylene
Essential Oils	Toluene
Flavors	Wax or polish
Fragrances	Wood Preservatives
Gasoline	Herbicides
Insecticides	Paint Thinners

Available in different packages base on your needs



HDPE FLOURINATED BOTTLES:

Plastic bottle paneling is prevented by a process called flourination, in which the surface of container is treated by flourine gas. Flourine atoms bond to the plastic, creating a permanent protective barrier. After Treatment, the plastic container is less receptive to permeation, discoloration, weight loss, odor emission and (most of all) panelling. HDPE Fluorinated bottles are caped with 38-430 Black PP Cap & PTFE Disc attached, same as amber glass bottles.

There are a variety of chemicals that prefer to be packaged in flourinated containers. The following table outlines some of them.

It is not an exhaustive list, but it is a good place to start, or at least start considering strengthened plastics. All of the products above are prone to hydrocarbon transmission through their plastic packaging.



HDPE Bottles:

High Density Polyethylene (HDPE) Plastic Lab Bottles offer good strength and chemical resistance. HDPE bottles offer stronger tensile strength than LDPE containers, are harder and more opaque and can withstand somewhat higher temperatures: 120°C (248°F) for short periods, 110°C (230°F) for longer periods. High-density polyethylene cannot withstand autoclaving.

Steel Pails:

Tight head 5US gallons steel pails with Gold Phenolic Lining are able to hold and secure any solvents for long period of time.

Steel Drums:

Steel drums are brand new high gage tight head 55us gallons steel drums.

2. SOLVENTS

ACETONE

ACETONE ACS

FORMULA: CH₃COCH₃
M.W. 58.08 g/mol
BOILING PT: 56.2°C (1013 hPa)
MELTING PT: -95.4°C
DENSITY: 0.792 g/cm³ (20°C)
FLASH PT: Max. -20°C (closed cup)
CAS: 67-64-1
EINECS: 200-662-2
UN: 1090



Assay	%99.7
Color (APHA)	5
Aldehyde (as HCHO)	<%0.002
Density at 25C	0.7856g/ml
Evaporation Residue	%0.0001
Solubility in Water	P .T.
Water	%0.3
Isopropyl Alcohol	%0.001
Methanol	%0.01
Titration Acid	<0.0001 meq/g
Titration Base	<0.0002 meq/g
Substance Reducing KMnO 4	P.T.
Description	Cle ar Colorless Liquid

ACETONE, ACS
Meets ACS Specifications for general use

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Fluorinated Bottle	REX-RX890005	93.00
20L	Steel Pail	REX-RX890007	190.00
200L	Drum	REX-RX890009	890.00

2-PROPANOL

2-PROPANOL ACS

FORMULA: (CH₃)₂CHOH
M.W. 60.1 g/mol
BOILING PT: 82 °C (1013 hPa)
MELTING PT: -89°C
DENSITY: 0.786 g/cm³ (20°C)
FLASH PT: 12°C
CAS: 67-63-0
EINECS: 200-661-7
UN: 1219



Assay	%99.9
Color (APHA)	<5
Residue after Evaporation	%0.0008
Solubility in Water (10ml/40ml)	Pass Test
Titration Acid or Base	0.00008 meq/g
Water	%0.05
Heavy Metals (as Pb)	<1 ppm
Copper	<0.1 ppm
Iron	<0.1 ppm
Nickel	<0.1 ppm
Description	Cle arn, colorless liquid
Carbonyl Compounds:	
Acetone	%0.001
Propionaldehyde	%0.0001
Density @ 25C (g/mL)	0.783

2-Propanol, ACS
Meets ACS Specifications for general use

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Fluorinated Bottle	REX-RX890090	189.00
20L	Steel Pail	REX-RX890092	145.00
200L	Drum	REX-RX890094	780.00

ETHYL ACETATE

ETHYL ACETATE ACS

FORMULA: CH₃COOC₂H₅
M.W. 88.11 g/mol
BOILING PT: 77.1 °C (1013 hPa)
MELTING PT: -83°C
DENSITY: 0.902 g/cm³ (20°C)
FLASH PT: -4°C
CAS: 141-78-6
EINECS: 205-500-4
UN: 1173



Assay	%99.7
Color (APHA)	<5
Residue after Evaporation	1ppm
Water	%0.03
Substances Darkened by H2SO4	To Pass Test
Density at 25 C (g/mL)	0.895 g/ ml
Titration Acid (meq/g)	0.0008 meq/g
Description	Clear, Colourless Li quid

Ethyl Acetate, ACS
Meets ACS Specifications for general use

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Fluorinated Bottle	REX-RX890046	110.00
4x4L	Glass Bottle	REX-RX890048	98.00
20L	Steel Pail	REX-RX890049	250.00
200L	Drum	REX-RX890051	1,100.00

METHANOL

METHANOL ACS

FORMULA: CH₃OH
M.W. 32.04 g/mol
BOILING PT: 64.6 °C (1013 hPa)
MELTING PT: -98°C
DENSITY: 0.7918 g/cm³ (20°C)
FLASH PT: 11°C (closed cup)
CAS: 67-56-1
EINECS: 200-659-6
UN: 1230



Assay	%99.7
Color (APHA)	<5
Residue after Evaporation	1ppm
Water	%0.03
Substances Darkened by H2SO4	To Pass Test
Density at 25 C (g/mL)	0.895 g/ ml
Titration Acid (meq/g)	0.0008 meq/g
Description	Clear, Colourless Li quid

Methanol , ACS
Meets ACS Specifications for general use

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Bottle	REX-RX890108	89.00
4x4L	Glass Bottle	REX-RX890109	99.00
20L	Steel Pail	REX-RX890110	125.00
200L	Drum	REX-RX890111	890.00

REXALL Chemicals has concentrated on conveying most note decades. Utilizing devoted tanks and stainless steel pipe lines gives us the advantage in packaging high purity chemicals.

2. SOLVENTS

TOLUENE

TOLUENE ACS

FORMULA: C₆H₅CH₃
M.W. 92.14 g/mol
BOILING PT: 110.6 °C (1013 hPa)
MELTING PT: -95°C
DENSITY: 0.867 g/cm³ (20°C)
FLASH PT: 4°C
CAS: 108-88-3
EINECS: 203-625-9
UN: 1294



Assay (GC)	99.8
Color (APHA)	5
Water	0.02
Residue After Evaporation	<10
Sulfur Compounds (as S)	<0.003
Heavy Metals (as Pb)	<0.1
Copper (Cu)	<0.1
Iron (Fe)	<0.1
Nickel (Ni)	<0.1
Substances Darkened by H2S04	Pass
Description	Clearn, colorless liquid

Toluene, ACS

Meets ACS Specifications for general use

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Fluorinated Bottle	REX-RX890161	177.00
4x4L	Glass Bottle	REX-RX890162	190.00
20L	Steel Pail	REX-RX890163	149.00
200L	Drum	REX-RX890165	780.00

XYLENE

XYLENE ACS
(MIXTURE OF ISOMERS)

FORMULA: C₆H₄(CH₃)₂
M.W. 106.17 g/mol
BOILING PT: 140 °C (1013 hPa)
MELTING PT: -34°C to 34°
DENSITY: 0.86 to 0.88 g/cm³ (20°C)
FLASH PT: 25°C
CAS: 1330-20-7
EINECS: 215-535-7
UN: 1307



Assay (Xylene isomers & Ethylbenzene)	%98 .5 Min
Color (APHA)	10 Max
Residue After Evaporation	%0.002 Max
Sulfur Compounds (as S)	%0.003 Max
Substances Darkened by H2S04	Pass Test
Water	%0.05 Max
Heavy Metals (as Pb)	0.1 ppm Max
Copper (Cu)	0.1 ppm Max
Iron (Fe)	0.1 ppm Max
Nickel (Ni)	0.1 ppm Max
Silver	0.1 ppm Max
Description	Clearn, colorless liquid

Xylene ACS

Meets ACS Specifications for general use

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Fluorinated Bottle	REX-RX890178	195.00
4x4L	Glass Bottle	REX-RX890179	270.00
20L	Steel Pail	REX-RX890180	190.00
200L	Drum	REX-RX890182	890.00

HEXANES

HEXANE ACS

FORMULA: H₃C(CH₂)₄CH₃
M.W. 86.18 g/mol
BOILING PT: 68 to 70 °C (1013 hPa)
MELTING PT: -95°C
DENSITY: 0.66 g/cm³ (20°C)
FLASH PT: -22°C
CAS: 110-54-3
EINECS: 203-777-6
UN: 1208



Assay (Total C6 Hydrocarbons)	%99.3
Color (APHA)	<5
Density at 25C (g/mL)	0.672
Residue after Evaporation	<%0.001
Sulfur Compounds (as S)	<%0.001
Thiophene	Pass Test
Water Soluble Titrable Acid	Pass Test
Description	Clearn, colorless liquid

Hexane ACS

Meets ACS Specifications for general use

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Fluorinated Bottle	REX-RX890077	248.00
20L	Steel Pail	REX-RX890078	197.00
200L	Drum	REX-RX890080	650.00

SODIUM HYDROXIDE 50% , Membrane

SODIUM HYDROXIDE

FORMULA: NaOH
M.W. 40 g/mol
BOILING PT: 1390 °C (1013 hPa)
MELTING PT: 323°
DENSITY: 2.13 g/cm³ (20°C)
CAS: 1310-73-2
EINECS: 215-185-5
UN: 1823



Assay	%99.7
Color (APHA)	<5
Residue after Evaporation	1ppm
Water	%0.03
Substances Darkened by H2SO4	To Pass Test
Density at 25 C (g/mL)	0.895 g/ ml
Titration Acid (meq/g)	0.0008 meq/g
Description	Clear, Colourless Li quid

Sodium Hydroxide 50% , Membrane

Size	Packaging	ESBE PART NUMBER	Price
120L	Drum	REX-RX890123	440.00



REXALL Chemicals / ESBE Scientific Chemical Customer Support

With chemical customer service teams across Canada, we can join the right individuals, market knowledge and technology to efficiently serve any of your needs. Our committed groups of chemical specialists are remaining by to answer any of your inquiries.

2. SOLVENTS

HEPTANE

HEPTANE ACS

FORMULA: C7H16
M.W: 100.21 g/mol
BOILING PT: 98.42°C
MELTING PT: -90.6 °C
DENSITY: 684 kg/m³
FLASH PT:25 F (-4 C)
CAS: 142-82-5
EINECS:205-563-8
UN:1206



Assay (GC)	%99.5
Color (APHA)	5
Residue After Evaporation	<%0.001
Water	%0.002
Description	Cleartn, colorless liquid

Heptane ACS
Meets ACS Specifications for general use

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Fluorinated Bottle	REX-RX890073	290.00
20L	Steel Pail	REX-RX890074	275.00
200L	Drum	REX-RX890075	994.00

ODORLESS KEROSENE

ODORLESS KEROSENE

FORMULA: C12H26
M.W. 170 g/mol
BOILING PT: 185 - 211 °C
MELTING PT: < -20 °C
DENSITY: 769 kg/m³
FLASH PT: > 61 °C
CAS: 64742-48-9
EINECS: 232-366-4



Sulfur Content	0 wppm
Anline Point	°88C
Viscosity at °40C	2.4cSt
Specific Gravity at °15.6C	0.7930
Aromatics Content	0.02 wt%
Flash Point	°97.1C
Distillation Temperature, IBP	°228C
Distillation Temperature, DP	°254 C
Color, Saybolt	>30 Saybt
Substance Reducing KMnO4	Pass Test
Appearance	Cleartn, colorless liquid

Odorless Kerosene

Size	Packaging	ESBE PART NUMBER	Price
4x4L	HDPE Bottle	REX-RX890124	160.00
200L	Drum	REX-RX890125	690.00

ISO-PROPYL ALCOHOL, 70% V/V

ISO PROPYL ALCOHOL ,70%

FORMULA: (CH₃)₂CHOH
M.W.: 60,1 g/mol
BOILING PT: 82°C
MELTING PT: -88 °C
FLASH PT: 18 °C
DENSITY: 0.8 to 0.92 g/cm³ (20 °C)
CAS: 67-63-0
UN:1987

ISO-PROPYL ALCOHOL, 70% V/V

Size	Packaging	ESBE PART NUMBER	Price
20L	Steel Pail	REX-RX890551	152.00
200L	Drum	REX-RX890552	1,345.00



CUSTOM MANUFACTURING

REXALL Chemicals has the manufacturing abilities to deliver any chemical formulation or custom package size or sort that your association may require. Whether your objective is to decrease your staff's time spent preparing form ulations used in your laboratory or to have item pre-packaged in single dose units, REXALL Chemicals experienced compound manufacturing staff can help you. Get in touch with us to ask for a quote on custom chemical products.

2. SOLVENTS

2-Propanol 50% (v/v)

2-Propanol 50% (v/v)

Formula: (CH₃)₂CHOH
MW: 60,1 g/mol
Boiling Pt: 82 °C / 179,6 °F
Melting Pt: -88 °C / -126,4 °F
CAS Number: 67-63-0
UN: 1987

Size	Packaging	ESBE PART NUMBER	Price
200L	Drum	REX-RX890550	2,166.00



ETHANOL DENATURED ANHYDROUS

ETHANOL DENATURED ANHYDROUS

Formula: H₃CCH₂OH
MW: 46.07 g/mol
Storage Temperature: Ambient
CAS Number: 64-17-5
EINECS: 200-578-6
UN: 1170

Size	Packaging	ESBE PART NUMBER	Price
4X4L	Poly	REX-RX890553	289.00
4X4L	Glass	REX-RX890554	261.80
210L	Drum	REX-RX890555	1261.00



SODIUM HYDROXIDE 50%

SODIUM HYDROXIDE 50% W/W REAGENT

Formula: NaOH
MW: 40 g/mol
Boiling Pt: 119 - 135 °C (1013 hPa)
Melting Pt: 9...10 °C
Density: 1,53 g/cm³ (20 °C)

Size	Packaging	ESBE PART NUMBER	PRICE
4X4L	Poly	REX-RX890556	247.00
20L	Steel Pail	REX-RX890349	310.00

Storage Temperature: Ambient
CAS Number: 1310-73-2
EINECS: 215-185-5
UN: 1824




ACETONITRILE

ACETONITRILE ACS

Formula: H₃CCN
MW: 41,05 g/mol
Boiling Pt: 81,6 °C (1013 hPa)
Melting Pt: -45,7 °C
Density: 0,782 g/cm³ (20 °C)
Flash Pt: 2 °C (closed cup)
CAS Number: 75-05-8
UN: 1648

Size	Packaging	ESBE PART NUMBER	Price
4X4L	Poly	REX-RX890188	995.00
4X4L	Glass	REX-RX890200	1,205.00
200L	Steel Pail	REX-RX890201	820.00



AMMONIUM HYDROXIDE 28%

AMMONIUM HYDROXIDE 28% ACS

Formula: NH₃
MW: 35.05 g/mol
Boiling Pt: 32 - 37,7 °C (1013 hPa)
Melting Pt: -60...-57,5 °C
Density: 0,88 to 0.91 g/cm³ (20 °C)
CAS Number: 1336-21-6
UN: 2672

Size	Packaging	ESBE PART NUMBER	Price
4X2.5L	Poly	REX-RX890205	196.00




N,N DIMEHYFLORMAMIDE

N,N DIMEHYFLORMAMIDE

Formula: HCON(CH₃)₂
MW: 73,09 g/mol
Boiling Pt: 153 °C (1013 hPa)
Melting Pt: -61 °C
Density: 0,949 g/cm³ (20 °C)
Flash Pt: 57,5 °C (closed cup)
CAS Number: 68-12-2
UN: 2265

Size	Packaging	ESBE PART NUMBER	PRICE
4X4L	Poly	REX-RX890190	989.00
4X4L	Glass	REX-RX890206	1,012.00
200L	Steel Pail	REX-RX890208	1,735.00



3. ACIDS

PHOSPHORIC ACID

PHOSPHORIC ACID ACS

Formula: H_3PO_4
MW: 98 g/mol
Melting Pt: 28 °C
Density: 1,71 to 1.87 g/cm³ (25 °C)
CAS Number: 7664-38-2
UN: 1805



Size	Packaging	ESBE PART NUMBER	Price
4X2.5L	Poly	REX-RX890558	630.00

SULFURIC ACID AQUEOUS SOLUTION

SULFURIC ACID AQUEOUS SOLUTION

Formula: H_2SO_4
MW: 98,08 g/mol
Formula: H_2SO_4
MW: 98,08 g/mol
Storage Temperature: Ambient
CAS Number: 7664-93-9
UN: 2796

Size	Packaging	ESBE PART NUMBER	Price
4N Solution in 20L	4N Cubitainer	REX-RX890525	210.00
1N Solution in 4X4L	Poly Bottle	REX-RX890526	45700
4N Solution in 20L	1N Cubitainer	REX-RX890527	378.00




NITRIC ACID 2N IN AQUEOUS SOLUTION

NITRIC ACID 2N IN AQUEOUS SOLUTION

Size	Packaging	ESBE PART NUMBER	PRICE
4X4L	Poly	REX-RX890528	871.20
20L	Pail	REX-RX890529	3,200.00

Formula: HNO_3
MW: 63,01 g/mol
CAS Number: 7697-37-2
UN: 3264



PERCHLORIC ACID

PERCHLORIC ACID ACS

Formula: $HClO_4$
MW: 100.46 g/mol
Boiling Pt: 160 - 181 °C (1013 hPa)
Melting Pt: -112,2 °C
Density: 1,53 to 1.768 g/cm³ (20 °C)
CAS Number: 7601-90-3
UN: 1873



Size	Packaging	ESBE PART NUMBER	Price
2.5L	Poly	REX-RX890559	640.00

ACETIC ACID GLACIAL

ACETIC ACID GLACIAL ACS

Size	Packaging	ESBE PART NUMBER	Price
4X2.5L	Poly Bottle	REX-RX890187	241.00



Formula: H_3CCOOH
MW: 60,05 g/mol
Flash Pt: 38.5
CAS Number: 64-19-7
UN: 2789

HYDROBROMIC ACID 48%

HYROBROMIC ACID
48% ACS

Formula: HBr
MW: 80.91 g/mol
Density: 1,47 g/cm³ (20 °C)
CAS Number: 10035-10-6
UN: 1788



Size	Packaging	ESBE PART NUMBER	Price
4X2.5L	Poly	REX-RX890194	760.00

3. ACIDS

HYDROCHLORIC ACID 36%

HYDROCHLORIC ACID 36% ACS

Formula: HCl
MW: 36.46 g/mol
Boiling Pt: 110 °C (1013 hPa)
Melting Pt: -30 °C
Density: 1,18 g/cm³ (20 °C)
CAS Number: 7647-01-0
UN: 1789

Size	Packaging	ESBE PART NUMBER	Price
4X2.5L	Poly	REX-RX890193	280.00




SULFURIC ACID 93-98%

SULFURIC ACID 93-98%

Formula: H₂SO₄
MW: 98,08 g/mol
Boiling Pt: ~ 335 °C (1013 hPa)
Melting Pt: 3 °C
Density: 1,84 g/cm³ (20 °C)
CAS Number: 7664-93-9
UN: 1830

Size	Packaging	ESBE PART NUMBER	PRICE
4X4L	Poly	REX-RX890195	992.00




4. POWDERS

SODIUM PEROXIDE

SODIUM PEROXIDE ACS

FORMULA: Na₂O₂
M.W.: 77,98 g/mol
BOILING PT: 657 °C
MELTING PT: 660 °C
DENSITY: 2.805 g/cm³ (20 °C)
CAS: 1313-60-6
EINECS:215-209-4
UN:1504

Size	Packaging	ESBE PART NUMBER	Price
10KG	Steel Pail	REX-RX890541	3,350.00



SODIUM HYDROXIDE

SODIUM HYDROOXIDE ACS

FORMULA: NaOH
M.W.: 40 g/mol
BOILING PT: 1390°C
MELTING PT: 323 °C
DENSITY: 2.13 g/cm³ (20 °C)
CAS: 1310-73-2
UN:1823

Size	Packaging	ESBE PART NUMBER	Price
25KG	Poly Pail	REX-RX890543	487.00



4. POWDERS

LEAD ACETATE TRIHYDRATE

LEAD (II) ACETATE TRIHYDRATE 99.0-103.0%, CRYSTALS ACS

FORMULA: (H₃CCOO)₂Pb·3H₂O
M.W.: 379,34 g/mol
BOILING PT: 280°C
MELTING PT: 75 °C
DENSITY: 2.55 g/cm³ (20 °C)
CAS: 6080-56-4
UN: 1616

Size	Packaging	ESBE PART NUMBER	Price
2 Kg	Bottle	REX-RX890536	990.00
10 Kg	Poly Pail	REX-RX890537	396.00
50 Kg	Fibre Keg	REX-RX890538	3,500.00



SILVER NITRATE CRYSTALS

SILVER NITRATE

FORMULA: AgNO₃
M.W.: 169,87 g/mol
BOILING PT: 444°C
MELTING PT: 210 °C
DENSITY: 4.35 g/cm³ (20 °C)
CAS: 7761-88-8
UN:1493

Size	Packaging	ESBE PART NUMBER	Price
500G	Amber Glass	REX-RX890545	1,256.00



IODIC ACID REAGENT

IODIC ACID REAGENT ACS

FORMULA: HIO₃
M.W.: 175,91 g/mol
MELTING PT: 110 °C
DENSITY: 4,629 g/cm³ (20 °C)
CAS: 7782-68-5
UN: 3085

Size	Packaging	ESBE PART NUMBER	Price
2.5KG	Amber Glass	REX-RX890548	3,809.00



SODIUM HEXAMETAPHSPHT

SODIUM HEXAMETAPHOSPHATE

FORMULA: Na₂P₆O₁₈
M.W.: 611,77 g/mol
MELTING PT: 610 °C
DENSITY: 1.25 g/cm³ (20 °C)
CAS: 10124-56-8

Size	Packaging	ESBE PART NUMBER	Price
10KG	Poly Pail	REX-RX890547	635.80



4. POWDERS

POTASSIUM PHOSPHATE DIBASIC

POTASSIUM PHOSPHATE DIBASIC ACS

Formula: K_2HPO_4
MW: 174,18 g/mol
Melting Pt: 340 °C
Density: 2,3 g/cm³ (20 °C)
MDL Number: MFCD00011383
CAS Number: 7758-11-4
Merck Index: 12,07828

Size	Packaging	ESBE PART NUMBER	Price
500 gr	Poly Bottle	REX-RX890536	114.50
2.5 Kg	Plastic Bag in Pail	REX-RX890537	329.90
10 Kg	Poly Pail	REX-RX890537	447.90



POTASSIUM PHOSPHATE MONOBASIC

POTASSIUM PHOSPHATE MONOBASIC ACS

Formula: KH_2PO_4
MW: 136,09 g/mol
Boiling Pt: ~ 100 °C (1013 hPa)
Melting Pt: 253 °C
Density: 2,3 g/cm³ (20 °C)
MDL Number: MFCD00011401
CAS Number: 7778-77-0
Merck Index: 12,07829

Size	Packaging	ESBE PART NUMBER	Price
500gr	Poly Bottle	REX-RX890504	111.70
25 Kg	Poly Bottle	REX-RX890505	989.00



SODIUM PHOSPHATE DIBASIC ANHYDROUS

SODIUM PHOSPHATE DIBASIC ANHYDROUS ACS

Formula: Na_2HPO_4
MW: 141,96 g/mol
Melting Pt: 250 °C
Density: 1,53 g/cm³ (20 °C)
MDL Number: MFCD00003496
CAS Number: 7558-79-4
Merck Index: 12,08805

Size	Packaging	ESBE PART NUMBER	Price
500 gr	Poly Bottle	REX-RX890506	63.89
12 Kg	Poly Pail	REX-RX890508	790.00



MAGNESIUM SULFATE HEPTAHYDRATE

MAGNESIUM SULFATE HEPTAHYDRATE ACS

Formula: $MgSO_4 \cdot 7H_2O$
MW: 246,48 g/mol
Melting Pt: 1124 °C
Density: 2,66 g/cm³ (20 °C)
MDL Number: MFCD00149785
CAS Number: 10034-99-8
Merck Index: 13,05715

Size	Packaging	ESBE PART NUMBER	Price
500gr	Poly Bottle	REX-RX890509	85.90
1 Kg	Poly Bottle	REX-RX890510	65.70
25 Kg	Poly Bottle	REX-RX890511	256.00



4. POWDERS

EDTA DISODIUM SALT DIHYDRATE

EDTA DISODIUM SALT DIHYDRATE ACS

Formula: C₁₀H₁₄N₂Na₂O₈·2H₂O
MW: 372,24 g/mol
Melting Pt: 255 °C
MDL Number: MFCD00150037
CAS Number: 6381-92-6
Merck Index: 13,03543

Size	Packaging	ESBE PART NUMBER	Price
500 gr	Poly Bottle	REX-RX890512	120.90
2.5 Kg	Poly Bottle	REX-RX890513	579.80
10 Kg	Poly Pail	REX-RX890514	1,289.50



UREA

UREA ACS

Formula: NH₂CONH₂
MW: 60,06 g/mol
Boiling Pt: 197 °C (1013 hPa)
Melting Pt: 132,7 °C
Density: 1,34 g/cm³ (20 °C)
MDL Number: MFCD00008022
CAS Number: 57-13-6
Merck Index: 12,10005

Size	Packaging	ESBE PART NUMBER	Price
2 Kg	Poly Bottle	REX-RX890516	301.00
12 Kg	Poly Pail	REX-RX890517	990.90



CALCIUM CHLORIDE DIHYDRATE

CALCIUM CHLORIDE DIHYDRATE ACS

Formula: CaCl₂·2H₂O
MW: 147,01 g/mol
Boiling Pt: 1600 °C (1013 hPa)
Melting Pt: 176 °C
Density: 1,85 g/cm³ (20 °C)
MDL Number: MFCD00149613
CAS Number: 10035-04-8

Size	Packaging	ESBE PART NUMBER	Price
4 X 1kg	Poly Bottle	REX-RX890519	240.00
12 Kg	Poly Pail	REX-RX890520	360.00



BROMINE

BROMINE

Formula: Br₂
MW: 159,81 g/mol
Boiling Pt: 58,7 °C (1013 hPa)
Melting Pt: -7,2 °C
Density: 3,12 g/cm³ (20 °C)
MDL Number: MFCD00010896
CAS Number: 7726-95-6
UN: 1744
ADR: 8,I
Merck Index: 13,01378

Size	Packaging	ESBE PART NUMBER	Price
500 gr	Poly Pail	REX-RX890204	490.30







www.rexalllabs.com